



Dell 22" Professional Monitor - P2222H

Model No: DELL-M-P2222H



Price:

Rs. 80,999

Warranty:

3 Years(s) manufacturer warranty.
3 Year Manufacturer Warranty.

Delivery:

Delivery - Standard 3 To 5 Working Days.

- Delivery Within 3 Working Days For Colombo And Suburbs, 5 Working Days For Other Locations.
- For Any Invoice Up To Rs.9,999, A Delivery Rate Of Rs.500 Will Be Charged.
- For Any Invoice From Rs.10,000 To 19,999, A Delivery Rate Of Rs.700 Will Be Charged.
- For Any Invoice From Rs.20,000 To 49,999, A Delivery Rate Of Rs.900 Will Be Charged.
- For Any Invoice From Rs.50,000 To 99,999, A Delivery Rate Of Rs.1200 Will Be Charged.
- For Any Invoice From Rs.100,000 To 149,999, A Delivery Rate Of Rs.1500 Will Be Charged.
- For Any Invoice From Rs.150,000 And Above, A Delivery Rate Of Rs.2000 Will Be Charged.

Specifications:

- Type: Professional Monitor
- Model: DELL-M-P2222H
- Display - Panel Type: In-Plane Switching Technology(IPS)
- Display - Panel Size: 22"
- Display - Resolution: 1920 x 1080
- Display - Refresh Rate: 60Hz
- Display - Viewing Angle: 178 vertical & Horizontal
- Display - Panel Tech: LED-backlit LCD monitor / TFT active matrix
- Display - Aspect Ratio: 0.672916667
- Display - Brightness: 250 cd/m2 (typical)
- Display - Contrast Ratio: 1,000:1 (typical)
- Display - Colour Support: 16.7 Millions
- Display - Anti Glare: Screen Coating- Anti-glare
- Display - Response Time: 8 ms (gray-to-gray normal); 5 ms (gray-to-gray fast)
- Pixel Pitch: 0.248 mm
- Touch Display: NO
- Curved Screen: NO
- Input Connectors: 1 x HDMI 1.4 (HDCP 1.4),1 x DisplayPort 1.2 (HDCP 1.4),1 x VGA,1 x SuperSpeed USB 5 Gbps (USB3.2 Gen 1) upstream,4 x SuperSpeed USB 5 Gbps (USB3.2 Gen 1)
- Display Position Adjustments: Tilt (-5° to 21°),Swivel (-45° to 45°),Pivot (-90° to 90°)
- Controls & Adjustments: Height adjustability stand 150 mm
- Environmental Standards / Compliant Standards: EPEAT Compliant-EPEAT Gold,ENERGY STAR Certified-Yes,RoHS-compliant,TCO Certified Edge Displays,BFR/PVC free monitor (excluding external cables),Meets NFPA 99 leakage current requirements,
- Voltage Required: AC 100-240 V (50/60 Hz)
- Power Consumption Operational: 46 Watt(typical)
- Power Consumption Standby: 0.3 Watt
- Color: Black

- Dimensions: With stand - width: 19.2 in - depth: 7.1 in - height: 19 in,
- Weight: 10.6 lbs (with stand)
- Additional Accessories: 1 x DisplayPort cable - DisplayPort to DisplayPort - 6 ft, 1 x USB 3.2 Gen 1 upstream cable
- Other Information: 3 Years Warranty, 99% sRGB color gamut

Date: 2026-06-25 05:00