

# SINGER®

## Singer Instant Shower Heater With Pressure Pump - Ultra Slim 3.5kW, 220 V

Model No: SWH-SLIM228EP



### Price:

---

Rs. 75,999

### Warranty:

---

1 Year(s) manufacturer warranty.

1 Year Manufacturer Warranty. 5 Years Warranty For The Heating Element. (In Order To Ensure Proper Installation, We Recommend That Your Newly Purchased Shower Heater Be

Installed By One Of Our Expert Technicians. Avail This Exclusive Service For Just Rs. 1500.  
Call Us On 0115400400 To Book An Appointment.)

## **Delivery:**

---

Delivery - Standard 3 To 5 Working Days.

- Delivery Within 3 Working Days For Colombo And Suburbs, 5 Working Days For Other Locations.
- For Any Invoice Up To Rs.9,999, A Delivery Rate Of Rs.500 Will Be Charged.
- For Any Invoice From Rs.10,000 To 19,999, A Delivery Rate Of Rs.700 Will Be Charged.
- For Any Invoice From Rs.20,000 To 49,999, A Delivery Rate Of Rs.900 Will Be Charged.
- For Any Invoice From Rs.50,000 To 99,999, A Delivery Rate Of Rs.1200 Will Be Charged.
- For Any Invoice From Rs.100,000 To 149,999, A Delivery Rate Of Rs.1500 Will Be Charged.
- For Any Invoice From Rs.150,000 And Above, A Delivery Rate Of Rs.2000 Will Be Charged.

## **Specifications:**

---

- Type: Water Heater (With Pressure Pump)
- Spray Patterns: 5 Spray Patterns (Massage, Mixed, Standard, Soothe, Jumbo)
- Water Flow Rate: 2 Liters Per Minute
- Pressure Rating: Min 0.1 Bar - Max 6 Bar
- Standards: Thailand, Canada, USA, Malaysia & Singapore Safety Standards, High Quality UK Technology Heating Element With UL Approved Standard
- Temperature Controls: Electronic Variable Power Temperature Control
- Power: 220~240V
- Safety / Protection: Triple Safety Protection (Built-In Auto Flow Switch Prevents Over Heating, Built-In 15mA Sensitivity Electric ELCB, Anti-Scalding Thermal Safety Design), Built-In Lightning Surge Protector (ELCB), Built-In RCD Residual Current Device (Cut Off Power In The Event Of Current Leakage), Plastic Stop Valve And Non Conductive PVC Flexible Hose ( Safest & Simplest Solution In Preventing Electrocutation To End User), Dual Temperature Thermal Cut-Off Protector
- Inlet / Outlet Water Connectors: 15mm (1/2" BSP)
- Special Features: Stepless Electronic Power Control, RoHS Compliance Product Free From Lead, Mercury, Cadmium, Hexavalent Chromium, Pbb And Pbde, AC Booster Pup 120W 220V
- Made In: Malaysia
- Package Contents: Shower Unit, Multi-Spray Hand Shower, Slider Rail Set, Hose & Washer, Soap Tray, Stop Valve With Filters, Screw & Wall Plugs, Operation Manual, Warranty Card
- Colors: Silver
- Dimensions: 360(H) x 240(W) x 84(D)
- Weight: 3.9 Kg
- Other Information: Ultra Slim Design, Electronic Variable Power Temperature Control, 3 In 1 Compact Stop, Flow & Filter Valve, 55 Celsius Degrees Anti-Scalding

Date: 2026-04-20 06:47